

SANIWASH™

Reg. No. Act 29GNR529/239981/110/309

A broad spectrum concentrated disinfectant and washing agent to kill micro-organisms such as bacteria and viruses.

ACTIVE INGREDIENT:

Generic Quaternary ammonium compounds60g/L
Glutaraldehyde 70g/L

INERT INGREDIENT:

Washing agent250g/L

Manufactured & registered by, ICA International Chemicals, P.O. Box 2312, Stellenbosch, 7602

WARNINGS

- Handle with care.
- Do not ingest or inhale fumes.
- Avoid contact of the concentrate with skin and eyes.
- Keep out of reach of children, uninformed persons and animals.
- Not to be used for any purpose, contrary to the label directions.
- Do not contaminate streams, rivers or waterways with the chemical or used containers.

Although this remedy has been extensively tested, the registration holder does not warrant that it will be efficacious under all conditions because the action effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease to the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions that could not have been foreseen in terms of the evaluation of the product. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Wash with soap and water after use or skin contact.
- Wear rubber gloves and face shield when handling concentrate.
- If swallowed drink large amounts of water.
- Do not eat, drink or smoke whilst handling product before washing hands and face.
- Prevent contamination of food, feed, eating utensils, drinking water, rivers and dams.
- Triple rinse or pressure rinse containers before disposal. If no landfill is available, bury containers below 500mm clear of waterway or desirable vegetation. Containers need to be broken, crushed or punctured before disposal.

DIRECTIONS FOR USE

USE ONLY AS DIRECTED

SITUATION	DISEASE AGENT*	RATE (Saniwash/L water)	CRITICAL COMMENTS
1. Washing and cleaning of surfaces before disinfection a) general use b) serious persistent disease presence	Micro-organisms such as bacteria and viruses.	1L / 600 - 1000L water	Apply 1 - 1,7L of the solution per m ² . Allow the dilution to soak for 30 - 60 minutes and rinse surfaces.
		2-3L / 600 - 1000L water	
2. Disinfection of surfaces as indicated in "General Instructions" a) general use b) persistent disease pressure		1L / 200L water	Wet surfaces thoroughly with 330 - 500ml of the solution per m ² and try to keep surfaces wet for at least 30 minutes.
		2L / 200L water	
3. Footbaths & Wheelbaths.		1L / 100L water	Replace when solution starts to get dirty.
4. Disinfection of areas by using Thermofogging.		2,5L / 2,5L water	Use this solution of 5 litres for 1 000m ³ area.

* For more specific activity of Saniwash towards the various micro-organisms in poultry, pigs, cattle, horses and pets see Saniwash brochure available from distributors.

GENERAL INSTRUCTIONS

Due to its broad spectrum of activity and its safety to use, Saniwash is recommended in the following areas:

1. Animal housing and farms:

Pig farming: breeding units, farrowing pens, fattening units
Poultry farming: breeder farms, layers, broilers, hatcheries
Others: Horses stables, dairy and beef cattle farms, ostrich farms, rabbit farms, kennels, catteries, camel stables....

2. Veterinary clinics:

For the prevention of cross-contamination between patients, especially in the case of canine parvovirus infection.

3. Food hygiene:

Saniwash is fully effective for the disinfection of surfaces in: slaughter houses, cold storage rooms, cereal storage, food and feed transport trucks, restaurants...