

RELEVANT SUBSTANCES also see SDS

Chemical disinfectant is not intended for internal use (ingestion).

If medical advice is needed, have product container or label at hand. • Store locked up in a well-ventilated place, away from flammable materials, food products, and packaging material. • Protect from sunlight. Do not expose to temperatures exceeding 50 °C. • Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. • Do not eat, drink, or smoke when using this product. • Do not spray on an open flame or other ignition source. • Do not pierce or burn, even after use. • Wear protective gloves, protective clothing, eye, and face protection. • Ventilate area well before entering. • Wear respiratory protection when entering treated area before aerosol spray deposit has settled. • IF SWALLOWED: Rinse mouth, get medical help. • IF ON SKIN: Wash with plenty of soap and water. • Take off contaminated clothing and wash before reuse. • For specific treatment, see first aid measures on this label. •

Re-entry interval: Do not enter treated area until aerosol spray deposit has settled down/dried unless wearing the necessary protective clothing. Dispose of contents and container in accordance with national regulations.

RELEVANT SUBSTANCES

Didecyldimethylammonium chloride (cas no 7173-51-5) acute tox. Oral 4, H302; skin corr. 1B, H314 (0.5 – 1.0 % w/v). Ethanol (cas no 64-17-5) flam. Liq. 2, H225 (30 – 50 % w/v). Blend of n-butane (cas no 106-97-5), isobutane (cas no 75-28-5), Propane (cas no 74-98-6) chem. under pressure 1, H282, flam. Gas 1A, H220 (40 – 60 % w/v)

DISCLAIMER

Although this disinfectant has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, as well as by the method, time, and accuracy of application. The registration holder furthermore does not accept responsibility for damage to the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

FIRST AID

INHALATION: If experiencing respiratory symptoms (irritation, difficulty with breathing), remove person to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Call for medical assistance.

SKIN CONTACT: For exposure to liquid, immediately warm frostbite area with warm water not to exceed 41 °C. In case of massive exposure, remove contaminated clothing while showering with warm water. Obtain medical attention. Seek medical assistance if skin irritation occurs.

EYE CONTACT: Rinse eyes IMMEDIATELY with clean water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing while holding eyelids apart. Seek medical attention if irritation continues.

INGESTION: Considered unlikely, if accidentally swallowed, obtain immediate medical attention. Rinse mouth thoroughly with water. Possible mucosal damage may contra-indicate the use of gastric lavage. If swallowed, DO NOT induce vomiting. Make every effort to prevent vomit from entering the lungs by careful placement of the patient.

Take off contaminated clothing and wash well before reuse. Contact the Poisons Helpline: 0861 555 777 for any emergencies.

DIRECTIONS FOR USE (Use only as directed)

- Shake container before use.
- Remove humans, animals, produce, plants, feedstuff and fodder from space to be treated.
- Highly flammable: Put off all electronics and extinguish all flames before use. Protect electronics, bedding, clothes, food utensils from direct exposure (cover with paper/plastic sheet). **Pre-clean dirty surfaces with an appropriate detergent, rinse and dry. Efficacy of disinfectant will be compromised if surfaces are soiled.**
- Place the canister on a solid surface in center of area to be treated, or evenly distribute canisters if more than one is required, open cupboards, close all windows and doors, seal any openings. Fogger can be placed on a raised surface if area is higher than 4 meters.
- Activate the fogger and leave the area immediately. Allow 60 min for the aerosol to disperse and settle before re-entry.
- Re-introduce people animals/produce/plants only after fumes have cleared.
- Thoroughly rinse or wash treated linen and clothing, that will have skin contact during use, to remove disinfectant residues.
- The fogger will disinfect treated areas against bacteria, fungi, spores, yeasts, and viruses.
- The effective dosage will depend on the room volume and surface area present, guideline below:

Canister size	Empty room volume	Room volume with large amount of surface area
150 ml	~38 m ³	~13 m ³
400 ml	~100 m ³	~35 m ³
500 ml	~125 m ³	~44 m ³

- **Exposure Times Tested for Registration for Industrial, Domestic and Institutional Areas:**
- **Bacteria Disinfection 5 min exposure:** Effective under clean conditions against *Escherichia coli*, *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Enterococcus hirae* (EN1276).
- **Fungal and Yeast Disinfection 15 min exposure:** Effective under clean conditions against *Aspergillus brasiliensis* and *Candida albicans*, (EN1650).
- **Spore Disinfection 60 min exposure time:** Effective under clean conditions against *Bacillus subtilis* spores (EN13704).
- **Virus Disinfection 30 min exposure:** Effective under clean conditions against Poliovirus, Adenovirus, Norovirus. **15 min exposure:** Effective against SARS-CoV-2 (EN14476).



Disinfectant Aerosol Fogger

NRCS Reg. No: NRCS/8054/243642/535

READ LABEL BEFORE USE

KEEP LOCKED AND OUT OF REACH OF CHILDREN AND ANIMALS

Broad Spectrum Disinfectant Aerosol Fogger for Food, Domestic, Industrial and Institutional Areas
Bactericidal, Fungicidal, Sporicidal, Yeasticial and Virucidal

Hazard Statements: Extremely flammable aerosol. Pressurized container; may burst if heated. Cause skin irritation.

Precautionary statements: Wear protective gloves/ protective clothing/eye and face protection. Wash hands, exposed skin and face thoroughly after handling. Do not touch eyes. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.



DANGER

ACTIVE INGREDIENT (w/v)

DIDECYLDIMETHYLAMMONIUM

CHLORIDE

0.88 %

Net: 400 ml

Manufacturer & Registration Holder:



ICA International Chemicals (Pty) Ltd.

Reg. Nr. 2001/013319/07

28 PLANKEN STREET • PLANKENBRUG INDUSTRIAL • STELLENBOSCH • 7600 • SOUTH AFRICA

Tel. +27 (0)21 886-9812 •

Website www.icaonline.co.za

Batch No.
Date of Manufacture
Expiry date

SEE BOTTOM OF CONTAINER

UN No: 1950

Emergency Number: Poison Helpline: +27 (0)86 155 5777
Griffons Poison Information Centre +27 (0)82 446 8946

DDV/KAF-003-400ml